NPRG036, A7B36XML: XML Technologies

Practical Class 1:

XML, DTD: Exercises

25. 2. 2016

Jiří Helmich Martin Svoboda

http://www.ksi.mff.cuni.cz/~svoboda/courses/2015-2-NPRG036/http://www.ksi.mff.cuni.cz/~svoboda/courses/2015-2-A7B36XML/

- Create an XML document with the following sample real estate data
 - Root element real-estate will contain a sequence of sub-elements agencies, owners, properties and flats, all with an empty content
 - Ensure well-formedness



- Create an internal DTD for the previous XML document
 - Ensure its validity
 - Then try to break it

Move the previous DTD to an external file and validate the XML document again



- Extend the previous DTD such that...
 - Elements agencies, owners, properties and flats can now contain particular agency, owner, property and flat elements respectively
 - Agency = name, e-mail, phone
 - Owner = name
 - Property = name, description, number of flats, features, owner reference
 - Flat = name, description, features, property reference
 - Use attributes for references, otherwise elements
 - Use only CDATA and #PCDATA for content and values
- Extend the XML document such that it contains
 1 sample agency, 1 owner, 1 property, and 2 flats
 - Ensure well-formedness and validity



- Modify both the DTD and XML:
 - Description of properties...
 - may now contain a text with references to flats
 - E.g.: ...<flatReference flatName="A1001">...</flatReference>...
 - Description of flats...
 - now contains a structured description with an arbitrary, but still well-formed XML fragment

- Extend both the DTD and XML:
 - Agencies, owners and properties must now have right one address (directly after their name)
 - Each address consists of:
 - Street and number
 - Postal code
 - State
 - Country
 - Respect the order, but note also that country is optional and when missing, postal code must be placed at the end (i.e. after state and not before)



- Modify both the DTD and XML:
 - Address, e-mail and phone records of agencies may now be specified in an arbitrary order
 - Ensure that there are at least 2 flats
 - If features (of properties and flats) are specified, then at least 2 and at most 5 of them are provided

- Extend both the DTD and XML:
 - Flats can now be associated with internal records
 - Each record contains...
 - Date and additional textual information, or
 - sequence of at lest one nested record



- Modify and extend both the DTD and XML:
 - Add language attribute to the root element
 - The value needs to be fixed to EN
 - Add comfort level attribute to flats
 - Only A, B, C, D, E or F values are allowed
 - F is the default value
 - References to owners of properties are now optional



- Modify and extend both the DTD and XML:
 - Add attributes with unique artificial identifiers to owners, properties and flats
 - E.g. o1, o2 in case of owners etc.
 - Transform all the existing references from names to these new identifiers
 - Use ID and IDREF data types
- Try to violate the referential integrity



- Extend both the DTD and XML:
 - Insert the following fragment into a description of a selected flat in a way that it is not interpreted as XML
 - Button
 - Use entities
 - Declare a new parsed entity for the superscript of 2 and use it as well
 - Unicode *U+00B2* (178)

- Extend the XML document:
 - Insert the following fragment into a description of one of the flats using a CDATA section:
 - Button
 - Generate a date of one of the flat records using a PHP processing instruction:
 - echo date("Y-m-d");
 - Add comments to visually separate individual parts of the document

- Modify the DTD schema:
 - Using parameter entities and conditional sections, declare 2 modes for the content of owners:
 - Verbose
 - Everything
 - Standard
 - Everything except the description
 - Activate the standard mode and adjust the XML document appropriately