**BOB36DBS: Database Systems** 

http://www.ksi.mff.cuni.cz/~svoboda/courses/202-B0B36DBS/

**Practical Class 1** 

# **Conceptual Modeling: ER**

Author: Martin Svoboda, martin.svoboda@fel.cvut.cz

Tutors: Ahmad, Černoch, Kostov, Nagyová, Řimnáč, Svoboda, Šír

16. 2. 2021

Czech Technical University in Prague, Faculty of Electrical Engineering

Create a diagram of an **ER conceptual schema** for a simple **student information system**...

- Each person has a name, personal id number, postal address, and e-mail address
- Values of personal ids are unique among persons

- Each person may also have several login names
- Hashed password value is stored together with each individual login name

Modify the previous ER schema...

- Split the unstructured postal address attribute of a person into separate components of a street, city, and postal code
- Each person must have at least one e-mail address

- Two types of persons are now distinguished
  - Student has at least one phone number
  - Teacher can have a website and is also identifiable using an employee number

- Course is identified by its code, it has a unique name, and also a number of credits
- Each course is guaranteed by exactly one teacher

- A pair of courses may have a mutual dependency
- Two types of such dependencies are distinguished
  - Corequisity
  - Prerequisity

- Students work on theses which are lead by teachers
- Each thesis has its type (bachelor, master, doctoral), unique title, and year of assignment
- Use an entity type for thesis and two separate relationship types
- Determine all the relationship cardinalities correctly

Modify the previous ER schema...

- Can the relationship types of thesis assignment / supervision be modeled using one ternary relationship type (instead of two standalone binary)?
- What will be the consequences?

Extend the previous ER schema...

 Each thesis may also be associated with several teachers acting as consultants

- Departments consist of research groups
- Each department has its name and code, both allowing to be used as independent identifiers
- Research group can only be identified locally using its abbreviated name within a particular department

- Model a timetable using a relationship type
- I.e. describe timetable events of teaching courses by teachers, always on a given day of a week, at a given time, and in a given room
- Limit yourself just to one active semester only

Extend and modify the previous ER schema...

- Timetable events must support different semesters
- Students can enroll in courses (even repeatedly)
- For each such enrollment, final achieved grade (if any) needs to be recorded

Modify the previous ER schema...

Model timetable events using an entity type

# **Modeling Tools**

#### **Creately Online**

- https://creately.com/
- Free registration
- Diagrams shared with the community
- New document: Entity Relationship Diagrams