

NIE-PDB: Advanced Database Systems

<http://www.ksi.mff.cuni.cz/~svoboda/courses/241-NIE-PDB/>

Practical Class 1

XPath and XQuery

Martin Svoboda

martin.svoboda@fit.cvut.cz

8. 10. 2024

Charles University, Faculty of Mathematics and Physics


Czech Technical University in Prague, Faculty of Information Technology

XPath

Path Expressions

Path expression

- Absolute / relative paths




Path Expressions

Steps of path expressions



- **Axis**
 - Specifies the **relation of nodes** to be selected for a given node
- **Node test**
 - **Basic condition** the selected nodes must further satisfy
- **Predicates**
 - **Advanced conditions** the selected nodes must further satisfy

Path Expressions: Axes



Exercise 1

Express the following XPath queries

- **Names of all airline companies** (whole airline elements)
- **Full names of all airports** (just text content)
- **Codes of all airports** (their values)
- **The last ticket of the third flight** (in the document order)
- **Distinct codes of flight ticket classes** (without duplicities)

Exercise 2

Express the following XPath query

- **Flight numbers operated by A6-EOQ aircraft on 2019-10-13**

Exercise 3

Express the following XPath query

- **Flights with at least one first class ticket (*F*) or business class ticket (*C*)**

Exercise 4

Express the following XPath query

- **Flights without any first class ticket (*F*) as well as any business class ticket (*C*)**
 - Include only flights with at least one ticket

Exercise 5

Express the following XPath query

- **Numbers of flights that depart on *2019-10-18* or any date later and that have no aircraft assigned yet**

Exercise 6

Express the following XPath query

- **Lines with duration above the overall average**

Exercise 7

Express the following XPath query

- **Overall number of flights heading to any airport in Germany (*DEU*) on 2019-10-18**

Exercise 8

Express the following XPath query


- **Passenger name on the very last ticket in the entire file**

XQuery

FLWOR Expressions

FLWOR

- Versatile construct allowing for **iterations over sequences**



Conditional Expressions

Condition


- Note that the else branch is compulsory
 - Empty sequence () can be returned if needed



Quantified Expressions

Quantifier

- Returns true if and only if...
 - in case of some **at least one item**
 - in case of every **all the items**
- ... of a given sequence/s **satisfy the provided condition**



Exercise 1

Express the following XQuery query

- **Flights heading to any airport in Germany (*DEU*)
on *2019-10-18***

Exercise 2

Express the following XQuery query

- **Sequence of lines longer than 60 minutes**
- Respect the following output structure

```
<line origin="airport-code" destination="airport-code">
  <code>line-number</code>
  <departure>departure-time</departure>
  <arrival>arrival-time</arrival>
</line>
...
```

- Propose two solutions using **direct / computed constructors** respectively

Exercise 3

Express the following XQuery query

- **Names of airline companies such that all their flights are associated with aircrafts**

Exercise 4

Express the following XQuery query

- **Generate an XHTML table with data about flights from *PRG***
 - Use `<i>Unknown</i>` when an aircraft is not assigned
 - Sort the flights using dates (descending order) and times of departure (ascending)

```
<table>
  <tr>
    <th>Date</th><th>Time</th><th>Number</th><th>Aircraft</th>
  </tr>
  <tr>
    <td>flight-date</td>
    <td>time-of-departure</td>
    <td>line-number</td>
    <td>aircraft-registration-or-unknown</td>
  </tr>
  ...
</table>
```

Exercise 5

Express the following XQuery query

- **Names of passengers of *EK140* flights with at least average number of sold tickets over all *EK140* flights**
- Respect the following output structure

```
<passengers date="flight-date" tickets="number-of-tickets">  
  comma-separated-list-of-passenger-names  
</passengers>  
...
```